

# **Shenandoah GC**

**Version 2.0 (2019): The Great Revolution**

**Aleksey Shipilëv**

**shade@redhat.com**

**@shipilev**

# Safe Harbor / Тихая Гавань


Anything on this or any subsequent slides may be a lie. Do not base your decisions on this talk. If you do, ask for professional help.

Всё что угодно на этом слайде, как и на всех следующих, может быть враньём. Не принимайте решений на основании этого доклада. Если всё-таки решите принять, то наймите профессионалов.


# Basics

# Basics: OpenJDK GCs Landscape


# Basics: OpenJDK GCs Landscape




# Basics: OpenJDK GCs Landscape



# Basics: OpenJDK GCs Landscape



# Basics: OpenJDK GCs Landscape





# Basics: Concurrent GC Only For Large Heaps?

# Basics: Concurrent GC Only For Large Heaps?

$$Latency_{stw} = \alpha * Size_{heap} * MemRefs_{stw} * MemLatency_{avg}$$

Heap size collected  
per GC cycle,  
MB

Memory references  
during STW,  
accesses/MB

End-to-end  
memory latency,  
ns/access

# Basics: Concurrent GC Only For Large Heaps?

Observation	$Latency_{stw}$ components		
	$\alpha * Size_{heap}$	$MemRefs_{stw}$	$MemLatency_{avg}$
Large heap	↑↑	↓↓	≈

- Large heap: large live data sets  $\Rightarrow$  need concurrent GC

# Basics: Concurrent GC Only For Large Heaps?

Observation	$Latency_{stw}$ components		
	$\alpha * Size_{heap}$	$MemRefs_{stw}$	$MemLatency_{avg}$
Large heap	↑↑	↓↓	≈
Slow hardware	≈	↓↓	↑↑

- Large heap: large live data sets  $\Rightarrow$  need concurrent GC
- Slow hardware: memory is slow  $\Rightarrow$  need concurrent GC

# Basics: Slow Hardware

Raspberry Pi 3, AArch64, running springboot-petclinic:

```
# -XX:+UseShenandoahGC
```

```
Pause Init Mark 8.991ms
```

```
Concurrent marking 409M->411M(512M) 246.580ms
```

```
Pause Final Mark 3.063ms
```

```
Concurrent cleanup 411M->89M(512M) 1.877ms
```

```
# -XX:+UseParallelGC
```

```
Pause Young (Allocation Failure) 323M->47M(464M) 220.702ms
```

```
# -XX:+UseG1GC
```

```
Pause Young (G1 Evacuation Pause) 410M->38M(512M) 164.573ms
```

# Basics: Releases

Easy to access (development) releases: try it now!

<https://wiki.openjdk.java.net/display/shenandoah/>

- Dev follows latest JDK, backports to 13, **11u, 8u**
- 8u backport ships in RHEL 7.4+, Fedora 24+
- 11u backport ships in Fedora 27+
- Nightly development builds (tarballs, Docker images)

```
docker run -it --rm shipilev/openjdk-shenandoah \  
java -XX:+UseShenandoahGC -Xlog:gc -version
```

# Basics: Shenandoah 2.0

Major differences from older talks:

1. Load reference barriers
2. Elimination of separate fwdptr slot
3. Extended platform support



# Basics: Shenandoah 2.0

Major differences from older talks:

1. Load reference barriers
2. Elimination of separate fwdptr slot
3. Extended platform support


Status:

- In JDK 13 GA
- In JDK 11.0.5+ Red Hat downstreams
- Backporting to JDK 8u is in progress (Shenandoah 1.0 is there already)






# Basics: This Message Is Brought To You By



- IMHO, discussing the gory GC details without «GC Handbook» is a waste of time
- Many GCs appear super-innovative, but in fact they reuse (or reinvent) ideas from the GC Handbook
- Combinations of those ideas give rise to many concrete GCs

# Overview


# Overview: Heap Structure



Shenandoah is a *regionalized* GC:  
heap split into equally-sized regions


- Heap organization is similar to G1
- Collects most garbage regions first
- Not generational (yet), single heap
- Requires little auxiliary metadata

# Overview: Usual GC Cycle




Application active →

# Overview: Usual GC Cycle




## 1. Concurrent marking

# Overview: Usual GC Cycle




1. Concurrent marking
2. Concurrent evacuation

# Overview: Usual GC Cycle



1. Concurrent marking
2. Concurrent evacuation
3. Concurrent update references (optional)


# Overview: Usual GC Cycle



1. Concurrent marking
2. Concurrent evacuation
3. Concurrent update references (optional)



# Overview: Usual GC Log



LRUFragger, 100 GB heap,  $\approx$  80 GB live data:

Pause Init Mark 0.227ms

Concurrent marking 84864M->85952M(102400M) 1386.157ms

Pause Final Mark 0.806ms

Concurrent cleanup 85952M->85985M(102400M) 0.176ms

Concurrent evacuation 85985M->98560M(102400M) 473.575ms


Pause Init Update Refs 0.046ms

Concurrent update references 98560M->98944M(102400M) 422.959ms

Pause Final Update Refs 0.088ms

Concurrent cleanup 98944M->84568M(102400M) 18.608ms

# Overview: Usual GC Log



LRUFragger, 100 GB heap,  $\approx$  80 GB live data:

Pause Init Mark 0.227ms

Concurrent marking 84864M->85952M(102400M) 1386.157ms

Pause Final Mark 0.806ms

Concurrent cleanup 85952M->85985M(102400M) 0.176ms

Concurrent evacuation 85985M->98560M(102400M) 473.575ms

Pause Init Update Refs 0.046ms


Concurrent update references 98560M->98944M(102400M) 422.959ms

Pause Final Update Refs 0.088ms

Concurrent cleanup 98944M->84568M(102400M) 18.608ms

# Phases

# Mark: Usual GC Cycle



## 1. Concurrent marking

# Mark: Reachability

To catch a garbage, you have to ~~think like a garbage~~  
know if there are references to the object



# Mark: Reachability

To catch a garbage, you have to ~~think like a garbage~~  
know if there are references to the object

Three basic approaches:

1. **No-op**: ignore the problem (*see: Epsilon GC*)



# Mark: Reachability

To catch a garbage, you have to ~~think like a garbage~~  
know if there are references to the object

Three basic approaches:

1. **No-op**: ignore the problem (*see: Epsilon GC*)
2. **Reference counting**: track the number of incoming refs, treat  $RC=0$  as garbage



# Mark: Reachability

To catch a garbage, you have to ~~think like a garbage~~  
know if there are references to the object

Three basic approaches:

1. **No-op**: ignore the problem (*see: Epsilon GC*)
2. **Reference counting**: track the number of incoming refs, treat  $RC=0$  as garbage
3. **Tracing**: walk the object graph, find reachable objects, treat *everything else* as garbage





# Mark: Three-Color Abstraction

Assign *colors* to the objects:

1. White: not yet visited
2. Gray: visited, but references are not scanned yet
3. Black: visited, and fully scanned

# Mark: Three-Color Abstraction

Assign *colors* to the objects:


1. White: not yet visited
2. Gray: visited, but references are not scanned yet
3. Black: visited, and fully scanned

Daily Blues:

«All the marking algorithms do is coloring white gray, and then coloring gray black»




# Mark: Stop-The-World Mark




When application is stopped, everything is trivial!  
Nothing messes up the scan...

# Mark: Stop-The-World Mark




Found all roots, color them Black,  
because they are implicitly reachable

# Mark: Stop-The-World Mark




References from Black are now Gray,  
scanning Gray references

# Mark: Stop-The-World Mark



Finished scanning Gray, color them Black;  
new references are Gray

# Mark: Stop-The-World Mark




Gray  $\rightarrow$  Black;  
reachable from Gray  $\rightarrow$  Gray





# Mark: Stop-The-World Mark



Gray  $\rightarrow$  Black;  
reachable from Gray  $\rightarrow$  Gray






# Concurrent Mark: Mutator Problems



With **concurrent** mark everything gets complicated: the application runs and actively mutates the object graph during the mark.


We contemptuously call it *mutator* because of that.

# Concurrent Mark: Mutator Problems




Wavefront is here,  
and starts scanning the references in Gray object...

# Concurrent Mark: Mutator Problems




Mutator removes the reference from Gray...  
and inserts it to Black!

# Concurrent Mark: Mutator Problems



...or mutator inserted the reference to *transitively reachable* White object into Black


# Concurrent Mark: Mutator Problems



...or mutator inserted the reference to *transitively reachable* White object into Black




# Concurrent Mark: Mutator Problems



Mark had finished, and boom: we have reachable **White** objects, which we will now reclaim, corrupting the heap

# Concurrent Mark: Mutator Problems



Another quirk: created new **new object**,  
and inserted it into Black


# Concurrent Mark: Textbook Says

There are at least three approaches to solve this problem. All of them require intercepting heap accesses. Short on time, we shall discuss what G1 and Shenandoah are doing today.






# Concurrent Mark: SATB




Color all new objects **Black**

# Concurrent Mark: SATB




Finishing...

# Concurrent Mark: SATB



Done!

# Concurrent Mark: SATB



«**Snapshot At The Beginning**»:  
*marked all reachable at mark start*



# Concurrent Mark: SATB Writes (pseudocode)

# Concurrent Mark: SATB Writes (pseudocode)

```
void WriteWithSATB(Obj* loc, Obj val):  
    // SATB write pre-barrier:  
    if (HEAP->is_marking()): // check thread-local flag  
        Obj old = *loc;      // read old value  
        if (old != NULL):  
            // put the value in buffer  
            THREAD->addToSATBBuffer(old);  
            // maybe deliver full buffer to GC  
            THREAD->maybeFlushSATBBuffer();  
  
    // Barrier is done. Do the actual write:  
    *loc = val;
```



# Concurrent Mark: SATB Barrier (inline)

```
# check if we are marking
testb 0x2, 0x20(%r15)
jne   OMG-MARKING
BACK:
# ... actual store follows ...
...
# somewhere much later
OMG-MARKING:
# tens of instructions that add old value
# to thread-local buffer, check for overflow,
# call into VM slowpath to process the buffer
...
jmp  BACK
```



# Concurrent Mark: Two Pauses<sup>1</sup>

**Init Mark:** stop the mutator to avoid races

1. Walk and mark all roots
2. Arm SATB barriers

**Final Mark:** stop the mutator to avoid races

1. Drain the thread buffers
2. Finish work from buffer updates

---

<sup>1</sup>These can actually be fully concurrent, but that is not very practical today

# Concurrent Mark: Two Pauses<sup>1</sup>

**Init Mark:** stop the mutator to avoid races

1. Walk and mark all roots ← most heavy-weight
2. Arm SATB barriers


**Final Mark:** stop the mutator to avoid races

1. Drain the thread buffers
2. Finish work from buffer updates ← most heavy-weight

---

<sup>1</sup>These can actually be fully concurrent, but that is not very practical today


# Concurrent Mark: Barriers Cost<sup>2</sup>



	Throughput hit, %
Cmp	
Cps	
Cry	
Der	
Mpg	
Smk	
Ser	
Xml	

<sup>2</sup>Performance compared to STW Shenandoah with all barriers disabled


# Concurrent Mark: Barriers Cost<sup>2</sup>



	Throughput hit, % SATB
Cmp	-2.1
Cps	€
Cry	€
Der	-1.7
Mpg	€
Smk	-0.8
Ser	-1.6
Xml	-2.4

<sup>2</sup>Performance compared to STW Shenandoah with all barriers disabled


# Concurrent Mark: Observations



1. Extended concurrency needs to pay with more barriers
  - Ideal STW GC beats ideal concurrent GC on pure throughput
  - Unless there are spare CPUs to offload the concurrent GC




# Concurrent Mark: Observations




1. Extended concurrency needs to pay with more barriers
  - Ideal STW GC beats ideal concurrent GC on pure throughput
  - Unless there are spare CPUs to offload the concurrent GC
  
2. Hiding references from mark prolongs final mark pause
  - Weak references with unreachable referents, **finalizers**
  - «Old» objects hidden in SATB buffers

# Concurrent Mark: Tips




1. High load, don't care about pauses? Prefer STW GC!
  - No need to pay for concurrency when you cannot exploit it
  - Empty GC log does not mean no GC overhead

# Concurrent Mark: Tips




1. High load, don't care about pauses? Prefer STW GC!
  - No need to pay for concurrency when you cannot exploit it
  - Empty GC log does not mean no GC overhead
2. #objects and #references define conc mark performance
  - Flatter object graphs are quicker to walk
  - Primitive fields/arrays are no-brainer for GC
  - Generally, lots of references is tolerable when parallelisable

# Concurrent Mark: Tips




1. High load, don't care about pauses? Prefer STW GC!
  - No need to pay for concurrency when you cannot exploit it
  - Empty GC log does not mean no GC overhead
2. #objects and #references define conc mark performance
  - Flatter object graphs are quicker to walk
  - Primitive fields/arrays are no-brainer for GC
  - Generally, lots of references is tolerable when parallelisable
3. Long chains of references hurt tracing GCs
  - Long linked lists are GC nemesis: unparallelisable
  - Arrays (and derivatives, e.g. hash tables) are perfect
  - Trees seem to be the sane middle ground

# Evac: Usual GC Cycle




1. Concurrent marking
2. Concurrent evacuation

# Evac: Stop-The-World




**Problem:**  
there is the object, the  
object is referenced  
from somewhere, need  
to move it to new  
location

# Evac: Stop-The-World



**Step 1:** Stop The World, evasive maneuver to distract mutator from looking into our mess


# Evac: Stop-The-World



**Step 2:**  
Copy the object with all  
its contents




# Evac: Stop-The-World




**Step 3.1:**  
Update all references:  
save the pointer that  
forwards to the copy

# Evac: Stop-The-World




**Step 3.2:**  
Update all references:  
walk the heap, replace  
all refs with fwdptr  
destination

# Evac: Stop-The-World



**Step 3.2:**  
Update all references:  
walk the heap, replace  
all refs with fwdptr  
destination

# Evac: Stop-The-World



Everything is fine in the world, set the mutators free! Done!

# Concurrent Evac: Mutator Problems




*Нет смысла описывать происходящее,  
поэтому напишу: "У нас всё хорошо"...*

© 2010 Вернова Даша.

With **concurrent** copying everything gets is significantly harder: the application writes into the objects while we are moving the same objects!


<http://vernova-dasha.livejournal.com/77066.html>

# Concurrent Evac: Mutator Problems




While object is being moved, there are *two* copies of the object, and both are reachable!

# Concurrent Evac: Mutator Problems



Thread A writes  $y = 4$  to one copy, and Thread B writes  $x = 5$  to another. Which copy is correct now, huh?


# Concurrent Evac: Load Reference Barriers



**Idea:**  
If we need to copy objects, do it before any use. Let application act when loading the object (when *loading reference to it*)




# Concurrent Evac: Load Reference Barriers




**If copy exists:**  
Resolve it and use it

# Concurrent Evac: Load Reference Barriers




**If copy does not exist:** Can read/write from the current copy?  
Problematic...

# Concurrent Evac: Load Reference Barriers




**Copy ourselves:** make sure every access is done to actual copy. Agree on which copy is actual by changing the forwarding *atomically*

# Concurrent Evac: Load Reference Barriers



After GC did its work updating the references, we can recycle the old objects, along with forwarding pointers

# Load Ref Barrier: Motivation



**To-space invariant:**  
Writes should happen  
in to-space **only**,  
otherwise they are lost  
when cycle is finished

# Load Ref Barrier: Pseudocode

```
Obj ReadWithLRB(Obj* loc):  
    // Read the reference  
    Obj obj = *loc  
  
    // Load reference barrier:  
    if (HEAP->has_forwarded_objects()): // single byte  
        if (HEAP->in_collection_set(obj)): // dense bytemap  
            if (obj->is_forwarded()): // object header  
                obj = obj->forwardee()  
            else:  
                obj = LRB_Slowpath(loc, obj)  
  
    // Barrier is done. Here's our actual object:  
    return obj
```



# Load Ref Barrier: Fastpath

```
mov %r10, ...           # Load reference
testb $0x1, 0x20(%r15) # Has forwarded objects?
jne LRB-MIDPATH
```

BACK:

```
# normal access happens afterwards...
```

```
# somewhere later
```

LRB-MIDPATH:

```
mov %r11, %r10
shr %r11, 16           # Compute region ID
testb $0, (CSBM, %r11) # Test cset bytemap
je BACK
# decode and test fwdptr
# ...and maybe jump to slowpath
```



# Load Ref Barrier: Slowpath

```
Obj LRB_Slowpath(Obj* loc, Obj obj):  
    assert(HEAP->has_forwarded_objects(), "fastpath")  
    assert(HEAP->in_collection_set(obj), "fastpath")
```

```
Obj copy = copy(obj)
```

```
// Try to install new copy as actual:  
if (obj->cas_forwardee(NULL, copy)):  
    // success, this is our new copy  
    return copy  
else:  
    // someone else did it: pick up the result  
    return obj->forwardee()
```






# Load Ref Barrier: aside, GC Evacuation Code

```
void GC_Evacuate():  
    for (Region r : HEAP->collection_set()):  
        for (Obj obj : r->live_objects()):  
            if (!obj->is_forwarded()):  
                // Not copied yet, do it now:  
                Obj copy = copy(obj);  
  
                // Try to install new copy. Don't care if failed.  
                obj->cas_forwardee(NULL, copy);
```

Roll over collection set and copy all live objects out.  
Skip objects that LRB evacuated itself.




# Load Ref Barrier: Barriers Cost<sup>2</sup>



	Throughput hit, %	
	SATB	LRB
Cmp	-2.1	-11.3
Cps	€	-9.2
Cry	€	€
Der	-1.7	-5.9
Mpg	€	-11.7
Smk	-0.8	-1.8
Ser	-1.6	-6.0
Xml	-2.4	-11.6


<sup>2</sup>Performance compared to STW Shenandoah with all barriers disabled

# Load Ref Barrier: Observations




1. Shenandoah needs LRB on every reference load
  - The frequency is optimized: optimizers try to avoid heap read
  - Pretty much everywhere you expect compressed oops decoding

# Load Ref Barrier: Observations




1. Shenandoah needs LRB on every reference load
  - The frequency is optimized: optimizers try to avoid heap read
  - Pretty much everywhere you expect compressed oops decoding
2. Passive LRB cost is low
  - Single thread-local load and predicted branch
  - Still has non-zero costs: instructions, optimizations interference

# Load Ref Barrier: Observations



1. Shenandoah needs LRB on every reference load
  - The frequency is optimized: optimizers try to avoid heap read
  - Pretty much everywhere you expect compressed oops decoding
2. Passive LRB cost is low
  - Single thread-local load and predicted branch
  - Still has non-zero costs: instructions, optimizations interference
3. Active LRB cost is moderate
  - Most exits from LRB midpath: not in cset or already forwarded
  - GC does the bulk of the evacuation work

# Update References: Usual GC Cycle



1. Concurrent marking
2. Concurrent evacuation
3. Concurrent update references (optional)

# Update References: GC Code (pseudocode)

```
void GC_UpdateRefs():  
  for (Region r : HEAP->regions_snapshot()):  
    for (Obj obj : r->live_objects()):  
      for (Obj* loc : obj->fields()):  
        Obj f = *loc;  
        if (f->is_forwarded()):  
          CAS_raw(loc, f, f->forwardee())
```

Roll over all live objects,  
and update all forwarded references.



# Update References: GC Code (pseudocode)

```
void GC_UpdateRefs():  
  for (Region r : HEAP->regions_snapshot()):  
    for (Obj obj : r->live_objects()):  
      for (Obj* loc : obj->fields()):  
        Obj f = *loc;  
        if (f->is_forwarded()):  
          CAS_raw(loc, f, f->forwardee())
```

CAS fails?

- ⇒ some other store happened
- ⇒ stored reference already passed LRB
- ⇒ guaranteed to be the reference to actual copy





# Update References: Nasty Corner Case



There are special operations that bypass normal LRB:

# Update References: Nasty Corner Case



There are special operations that bypass normal LRB:  
**arraycopy/clone**

- Usually copy raw memory underneath
  - Because, performance! Vectorized copy FTW
  - Fine for primitive data, catastrophic for Java references
- Can therefore overwrite already updated refs
  - Update-refs progress guarantees out of the window
  - Unless, we fix up source/destination before/after the copy!

# Exotic Barriers: Arraycopy (pseudocode)

```
void ArraycopyBarrier(Obj* src, Obj* dst,  
                    int beg, int len):  
  
    // Fixup before copy:  
    for (int c : [0, len]):  
        Obj* loc = (src + beg + c)  
        Obj elem = *loc  
        if (elem->is_forwarded()):  
            CAS_raw(loc, elem, elem->forwardee())  
  
    // Do the actual copy of known good stuff  
    arraycopy(src, dst, beg, len);
```


Or: «Oh, no LRB for Bender?  
Fine, I am going to build my own barrier...»



# Exotic Barriers: CAS


```
atomicRef.compareAndSwap(expV, newV)
```

LRB makes sure we never get exposed to old copies...



# Exotic Barriers: CAS

```
atomicRef.compareAndSwap(expV, newV)
```



LRB makes sure we never get exposed to old copies...

Which breaks when we do CAS that compares new copy with old copy for the same object!


# Exotic Barriers: CAS Barrier (pseudocode)

```
bool ConcGC_CAS(Obj* loc, Obj expV, Obj newV):  
    // Optimistic attempt:  
    if (CAS_raw(loc, expV, newV)):  
        return true;  
  
    // False negative? Fix up:  
    Obj old = *loc;  
    if (old->is_forwarded()):  
        CAS_raw(loc, old, old->forwardee())  
  
    // Try again:  
    return CAS_raw(loc, expV, newV);
```




# Exotic Barriers: Barriers Cost<sup>2</sup>

	Throughput hit, %		
	SATB	LRB	CAS, AC
Cmp	-2.1	-11.3	€
Cps	€	-9.2	€
Cry	€	€	€
Der	-1.7	-5.9	€
Mpg	€	-11.7	€
Smk	-0.8	-1.8	€
Ser	-1.6	-6.0	€
Xml	-2.4	-11.6	€



<sup>2</sup>Performance compared to STW Shenandoah with all barriers disabled

# Exotic Barriers: Observations




## 1. CAS barriers are important for performance

- Reference CASes are relatively rare
- Most of the time CASes succeed, so fixup is not needed
- When CAS fails, you have larger problem: retries, fallbacks




# Exotic Barriers: Observations



1. CAS barriers are important for performance
  - Reference CASes are relatively rare
  - Most of the time CASes succeed, so fixup is not needed
  - When CAS fails, you have larger problem: retries, fallbacks
  
2. Arraycopy barriers are sometimes critical
  - Before or after the actual raw copy blazes through...
  - GC would need to pre/post-handle the reference arrays


# Overall: Barriers Cost<sup>2</sup>

	Throughput hit, %			
	SATB	LRB	CAS, AC	TOTAL
Cmp	-2.1	-11.3	€	-12.9
Cps	€	-9.2	€	-9.2
Cry	€	€	€	€
Der	-1.7	-5.9	€	-6.6
Mpg	€	-11.7	€	-12.7
Smk	-0.8	-1.8	€	-2.5
Ser	-1.6	-6.0	€	-7.5
Xml	-2.4	-11.6	€	-13.5



<sup>2</sup>Performance compared to STW Shenandoah with all barriers disabled


# Overall: Observations



## 1. Easily portable across HW architectures

- Special needs: CAS (performance is important, but not critical)
- x86\_64 and AArch64 are major implemented targets
- Works with 32-bit arches: x86\_32 is done, ARM32 prototyping

# Overall: Observations




## 1. Easily portable across HW architectures

- Special needs: CAS (performance is important, but not critical)
- x86\_64 and AArch64 are major implemented targets
- Works with 32-bit arches: x86\_32 is done, ARM32 prototyping

## 2. Trivially portable across OSes

- Special needs: none
- Linux is a major target, Windows is minor target
- Vendors build and ship Mac OS and Solaris without problems

# Overall: Observations



## 1. Easily portable across HW architectures

- Special needs: CAS (performance is important, but not critical)
- x86\_64 and AArch64 are major implemented targets
- Works with 32-bit arches: x86\_32 is done, ARM32 prototyping

## 2. Trivially portable across OSes


- Special needs: none
- Linux is a major target, Windows is minor target
- Vendors build and ship Mac OS and Solaris without problems

## 3. VM interactions are simple enough

- Play well with compressed oops: pointers untouched
- CPU-specific things only for «assembler» barriers


**Example**

# Example: Generational Hypotheses



**Weak hypothesis:**  
most objects die young


# Example: Generational Hypotheses



**Strong hypothesis:**  
the older the object,  
the less chance it has  
to die



# Example: Generational Hypotheses



**Strong hypothesis:**  
the older the object,  
the less chance it has  
to die

In-memory LRU-like  
caches are the prime  
counterexamples

# Example: LRU, Pesky Workload

Very inconvenient workload for  
*simple* generational GCs

- Early on, many young objects die, and oldies survive:  
*weak GH is valid, strong GH is valid*
- Suddenly, old objects start to die:  
*weak GH is valid, strong GH is not valid anymore!*
- Naive GCs trip over and burn

# Example: The Simplest LRU

The simplest LRU implementation in Java?

# Example: The Simplest LRU

The simplest LRU implementation in Java?

```
cache = new LinkedHashMap<>(size*4/3, 0.75f, true) {  
    @Override  
    protected boolean removeEldestEntry(Map.Entry<> eldest) {  
        return size() > size;  
    }  
};
```




# Example: Testing

Boring config:


1. Latest improvements in all GCs: shenandoah/jdk forest
2. Decent multithreading: 8 threads on 16-thread i7-7820X
3. Larger heap: `-Xmx100g -Xms100g`
4. 90% hit rate, 90% reads, 10% writes
5. Size (LDS) = 0..100% of `-Xmx`

Varying cache size  $\Rightarrow$  varying LDS  $\Rightarrow$  make GC uncomfortable


# Example: Pauses vs. LDS



# Example: Pauses vs. LDS




# Example: Pauses vs. LDS









# Example: Pauses vs. LDS




# Example: Perf vs. LDS




# Example: Perf vs. LDS



# Example: Perf vs. LDS



gc ● Parallel ● CMS ● Shenandoah



gc ● Parallel ● CMS ● Shenandoah

# **Command and Control**


# Command and Control: Central Dogma



Concurrent GCs are in-background heavy-lifters

- Rely on collecting **faster** than applications allocate
- *Frequently* works by itself: threads do useful work, GC threads are high-priority, there is enough heap to absorb allocations
- *Practical* concurrent GCs have to care about unfortunate cases as well

# Command and Control: Off To The Races




```
[1003.2s][gc] Trigger: Average GC time (4018.8 ms) is
above the time for allocation rate (3254.90 MB/s) to
deplete free headroom (13071M)
```

Want better conc GC performance, less frequent GC cycles?

- **GC Time.** Get more GC threads, have coarser objects, etc
- **Allocation Rate.** Get easy on excessive allocations
- **Heap Size.** Give concurrent GC more heap to play with

# Command and Control: Off To The Races




[1003.2s] [gc] Trigger: Average GC time (4018.8 ms) is above the time for allocation rate (3254.90 MB/s) to deplete free headroom (13071M)

Want better conc GC performance, less frequent GC cycles?

- **GC Time.** Get more GC threads, have coarser objects, etc
- **Allocation Rate.** Get easy on excessive allocations
- **Heap Size.** Give concurrent GC more heap to play with



# Command and Control: Off To The Races




[1003.2s][gc] Trigger: Average GC time (4018.8 ms) is above the time for **allocation rate (3254.90 MB/s)** to deplete free headroom (13071M)

Want better conc GC performance, less frequent GC cycles?

- **GC Time.** Get more GC threads, have coarser objects, etc
- **Allocation Rate.** Get easy on excessive allocations
- **Heap Size.** Give concurrent GC more heap to play with

# Command and Control: Off To The Races



[1003.2s][gc] Trigger: Average GC time (4018.8 ms) is above the time for allocation rate (3254.90 MB/s) to deplete **free headroom (13071M)**

Want better conc GC performance, less frequent GC cycles?

- **GC Time.** Get more GC threads, have coarser objects, etc
- **Allocation Rate.** Get easy on excessive allocations
- **Heap Size.** Give concurrent GC more heap to play with

# Command and Control: Living Space



## Problem:

Concurrent GC needs breathing room to succeed,  
while applications allocate like madmen

## Things that help:

- Immediate garbage shortcuts: free memory early
- Aggressive heap expansion: prefer taking more memory
- Mutator pacing: stall allocators before they hit the wall
- Handling failures: gracefully degrade

# Immediates: Living Space




## Problem:

Concurrent GC needs breathing room to succeed,  
while applications allocate like madmen

Things that help:

- **Immediate garbage shortcuts: free memory early**
- Aggressive heap expansion: prefer taking more memory
- Mutator pacing: stall allocators before they hit the wall
- Handling failures: gracefully degrade

# Immediates: Obvious Shortcut



GC(7) Pause Init Mark 0.614ms

GC(7) Concurrent marking 76812M->76864M(102400M) 1.650ms


GC(7) Total Garbage: 76798M

GC(7) Immediate Garbage: 75072M, 2346 regions (97% of total)

GC(7) Pause Final Mark 0.758ms

GC(7) Concurrent cleanup 76864M->1844M(102400M) 3.346ms

# Immediates: Obvious Shortcut



GC(7) Pause Init Mark 0.614ms

GC(7) Concurrent marking 76812M->76864M(102400M) 1.650ms

GC(7) Total Garbage: 76798M


GC(7) Immediate Garbage: 75072M, 2346 regions (97% of total)

GC(7) Pause Final Mark 0.758ms

GC(7) Concurrent cleanup 76864M->1844M(102400M) 3.346ms

1. Mark is fast, because most things are dead

# Immediates: Obvious Shortcut



GC(7) Pause Init Mark 0.614ms

GC(7) Concurrent marking 76812M->76864M(102400M) 1.650ms

GC(7) Total Garbage: 76798M


GC(7) Immediate Garbage: 75072M, 2346 regions (97% of total)

GC(7) Pause Final Mark 0.758ms

GC(7) Concurrent cleanup 76864M->1844M(102400M) 3.346ms

1. Mark is fast, because most things are dead
2. Lots of fully dead regions, because most objects are dead

# Immediates: Obvious Shortcut



GC(7) Pause Init Mark 0.614ms

GC(7) Concurrent marking 76812M->76864M(102400M) 1.650ms

GC(7) Total Garbage: 76798M

GC(7) Immediate Garbage: 75072M, 2346 regions (97% of total)

GC(7) Pause Final Mark 0.758ms

GC(7) Concurrent cleanup 76864M->1844M(102400M) 3.346ms

1. Mark is fast, because most things are dead
2. Lots of fully dead regions, because most objects are dead
3. **Cycle shortcuts, because why bother...**



# Footprint: Living Space



## Problem:

Concurrent GC needs breathing room to succeed,  
while applications allocate like madmen

## Things that help:

- Immediate garbage shortcuts: free memory early
- **Aggressive heap expansion: prefer taking more memory**
- Mutator pacing: stall allocators before they hit the wall
- Handling failures: gracefully degrade



# Footprint: Shenandoah Overheads

Current Shenandoah **does not** require a lot of additional memory!<sup>3</sup>

- Java heap: **no overheads at idle**
  - «+»: and, compressed references are still working
  - «-»: requires space for evacs when GC cycle is running
- Native structures: marking bitmap, 1/64 of heap
  - «-»: `-Xmx` is still not close to RSS
  - «+»: overhead is bounded: `-Xmx100g` means  $\approx 102$  GB RSS max

---

<sup>3</sup>Older one required a separate per-object fwdptr, yielding 1.05..1.5x overhead.



# Footprint: Shenandoah Overheads

Current Shenandoah **does not** require a lot of additional memory!<sup>3</sup>


- **Java heap: no overheads at idle**
  - «+»: and, compressed references are still working
  - «-»: requires space for evacs when GC cycle is running
- **Native structures: marking bitmap, 1/64 of heap**
  - «-»: `-Xmx` is still not close to RSS
  - «+»: overhead is bounded: `-Xmx100g` means  $\approx 102$  GB RSS max
- **Surprise: a significant part of footprint story is heap sizing, not per-object or per-heap overheads**

---

<sup>3</sup>Older one required a separate per-object fwdptr, yielding 1.05..1.5x overhead.


# Footprint: Heap Sizing

wildfly-swarm-rest-http, 30K rps, JDK head x86-64, -Xmx512m




# Footprint: Heap Sizing

wildfly-swarm-rest-http, 30K rps, JDK head x86-64, -Xmx512m




# Footprint: Heap Sizing

wildfly-swarm-rest-http, 30K rps, JDK head x86-64, -Xmx512m




# Footprint: Heap Sizing

wildfly-swarm-rest-http, 30K rps, JDK head x86-64, -Xmx512m



# Footprint: Heap Sizing


wildfly-swarm-rest-http, 30K rps, JDK head x86-64, -Xmx512m





# Footprint: Heap Sizing


wildfly-swarm-rest-http, 30K rps, JDK head x86-64, -Xmx512m



Aggressive expansion


# Footprint: Heap Sizing

wildfly-swarm-rest-http, 30K rps, JDK head x86-64, -Xmx512m




# Footprint: Heap Sizing

wildfly-swarm-rest-http, 30K rps, JDK head x86-64, -Xmx512m




# Footprint: Heap Sizing

wildfly-swarm-rest-http, 30K rps, JDK head x86-64, -Xmx512m



# Footprint: Heap Sizing


wildfly-swarm-rest-http, 30K rps, JDK head x86-64, -Xmx512m



Very frequent GCs


# Footprint: CPU Time Tradeoffs

wildfly-swarm-rest-http, 30K rps, JDK head x86-64, -Xmx512m




# Footprint: CPU Time Tradeoffs

wildfly-swarm-rest-http, 30K rps, JDK head x86-64, -Xmx512m



# Footprint: CPU Time Tradeoffs

wildfly-swarm-rest-http, 30K rps, JDK head x86-64, -Xmx512m




High footprint, low CPU



# Footprint: CPU Time Tradeoffs


wildfly-swarm-rest-http, 30K rps, JDK head x86-64, -Xmx512m




Low footprint, high CPU


# Footprint: CPU Time Tradeoffs

wildfly-swarm-rest-http, 30K rps, JDK head x86-64, -Xmx512m




Low footprint, low CPU 

# Footprint: Footprint Tips




1. Use GCs that can predictably size the heap
  - All current OpenJDK GCs have adaptive sizing
  - Most of them give back memory reluctantly



# Footprint: Footprint Tips

1. Use GCs that can predictably size the heap
  - All current OpenJDK GCs have adaptive sizing
  - Most of them give back memory reluctantly
2. Tune GC for lower footprint
  - Configure smaller `-Xms` and `-Xmx`
  - Tune uncommit delays, periodic GCs


Ex.: `-XX:ShenandoahGCHeuristics=compact`



# Footprint: Footprint Tips

1. Use GCs that can predictably size the heap
  - All current OpenJDK GCs have adaptive sizing
  - Most of them give back memory reluctantly
2. Tune GC for lower footprint
  - Configure smaller `-Xms` and `-Xmx`
  - Tune uncommit delays, periodic GCs
  - Ex.: `-XX:ShenandoahGCHeuristics=compact`
3. Exploit GC and infra improvements
  - Java Agents that bash GC with Full GCs on idle
  - Modern GCs that recycle memory better
  - Ex.: Shenandoah (JDK 8+), G1 (JDK 12+), ZGC (JDK 13+)


# Footprint: Observations



## 1. Footprint story is nuanced

- First-order effect: heap sizing policies
- Second-order effects: per-object and per-reference overheads

# Footprint: Observations




## 1. Footprint story is nuanced

- First-order effect: heap sizing policies
- Second-order effects: per-object and per-reference overheads

## 2. Beware of footprint surprises

- Universal surprise: GCs need free memory to breathe
- G1 surprise: native overhead (much improved in later versions)
- ZGC surprise: no compressed oops (design disadvantage)

# Footprint: Observations



## 1. Footprint story is nuanced

- First-order effect: heap sizing policies
- Second-order effects: per-object and per-reference overheads

## 2. Beware of footprint surprises

- Universal surprise: GCs need free memory to breathe
- G1 surprise: native overhead (much improved in later versions)
- ZGC surprise: no compressed oops (design disadvantage)

## 3. Idle footprint seems to be of most interest

- Few adopters (none?) care about peak footprint, but we still do
- Anecdote: I am running Shenandoah with my IDEA and CLion, because memory is scarce on my puny ultrabook





# Pacing: Living Space


## Problem:

Concurrent GC needs breathing room to succeed,  
while applications allocate like madmen

## Things that help:


- Immediate garbage shortcuts: free memory early
- Aggressive heap expansion: prefer taking more memory
- **Mutator pacing: stall allocators before they hit the wall**
- Handling failures: gracefully degrade

# Pacing: STW GC Control Loop




- Once memory is exhausted, perform GC
- Natural feedback loop: STW is the nominal mode
- Not really accessible for concurrent GC?

# Pacing: Simple Conc GC Control Loop




- Memory is exhausted  $\Rightarrow$  stall allocation and wait for GC
- Technically not a GC pause, but still *local latency*
- AFs usually happen in all threads at once: *global latency*

# Pacing: Shenandoah Control Loop




- Incremental pacing stalls allocations a bit at a time
- If AF happens, «degenerates»: completes under STW
- Pacing introduces latency, but the capped one


# Pacing: Nuclear Option, Pauses




# Pacing: Nuclear Option, Pauses



# Pacing: Nuclear Option, Times




gc ● Shenandoah ● Shenandoah (max pacing)




gc ● Shenandoah ● Shenandoah (max pacing)

# Pacing: Nuclear Option, Times



gc ● Shenandoah ● Shenandoah (max pacing)




**Pauses are invisible**


gc ● Shenandoah ● Shenandoah (max pacing)



# Pacing: Nuclear Option, Times




gc ● Shenandoah ● Shenandoah (max pacing)




gc ● Shenandoah ● Shenandoah (max pacing)

# Pacing: Observations




1. Pacing provides essential negative feedback loop
  - Thread allocates? Thread pays for it!
  - Thread does not allocate as much? It can run freely!

# Pacing: Observations



1. Pacing provides essential negative feedback loop
  - Thread allocates? Thread pays for it!
  - Thread does not allocate as much? It can run freely!
2. Pacing introduces local latency
  - Hidden from the tools, hidden from usual GC log
  - Latency is not global, making perf analysis harder

# Pacing: Observations



1. Pacing provides essential negative feedback loop
  - Thread allocates? Thread pays for it!
  - Thread does not allocate as much? It can run freely!
2. Pacing introduces local latency
  - Hidden from the tools, hidden from usual GC log
  - Latency is not global, making perf analysis harder
3. Nuclear option: max pacing delay =  $+\infty$ 
  - Resolves the need for handling allocation failures: thread always stalls when memory is not available
  - Shenandoah caps delay at 10 ms to avoid cheating



# Handling Failures: Living Space


## Problem:

Concurrent GC needs breathing room to succeed,  
while applications allocate like madmen

Things that help:


- Immediate garbage shortcuts: free memory early
- Aggressive heap expansion: prefer taking more memory
- Mutator pacing: stall allocators before they hit the wall
- **Handling failures: gracefully degrade**

# Handling Failures: Shenandoah Control Loop



- If AF happens, «degenerates»: completes under STW

# Handling Failures: Degenerated GC



Pause Init Update Refs 0.034ms


Cancelling GC: Allocation Failure

Concurrent update references 7265M->8126M(8192M) 248.467ms

Pause Degenerated GC (Update Refs) 8126M->2716M(8192M) 29.787ms

- First allocation failure dives into stop-the-world mode
- Degenerated GC *continues* the cycle
- Second allocation failure may upgrade to Full GC

# Handling Failures: Degenerated GC



Pause Init Update Refs 0.034ms

Cancelling GC: Allocation Failure

Concurrent update references 7265M->8126M(8192M) 248.467ms

Pause Degenerated GC (Update Refs) 8126M->**2716M**(8192M) **29.787ms**

- First allocation failure dives into stop-the-world mode
- **Degenerated GC *continues* the cycle**
- Second allocation failure may upgrade to Full GC




# Handling Failures: Full GC

Full GC is the Maximum Credible Accident:  
Parallel, STW, Sliding «Lisp 2»-style GC.


- Designed to recover from anything: 99% full regions, heavy (humongous) fragmentation, abort from any point in concurrent GC, etc.
- Parallel: Multi-threaded, runs on-par with Parallel GC
- Sliding: No additional memory needed + reuses fwdptr slots to store forwarding data

# Handling Failures: Observations




1. Being fully concurrent is nice, but own the failures
  - The failures will happen, accept it
  - «Our perfect GC melted down, because you forgot this magic VM option(, stupid)» flies only that far

# Handling Failures: Observations



1. Being fully concurrent is nice, but own the failures
  - The failures will happen, accept it
  - «Our perfect GC melted down, because you forgot this magic VM option(, stupid)» flies only that far
2. Graceful and observable degradation is key
  - Getting worse incrementally is better than falling off the cliff
  - Have enough logging to diagnose the degradations

# Handling Failures: Observations




1. Being fully concurrent is nice, but own the failures
  - The failures will happen, accept it
  - «Our perfect GC melted down, because you forgot this magic VM option(, stupid)» flies only that far
2. Graceful and observable degradation is key
  - Getting worse incrementally is better than falling off the cliff
  - Have enough logging to diagnose the degradations
3. Failure paths performance is important
  - Degenerated GC is not throwing away progress
  - Full GC is optimized too

## **Conclusion (I)**

# Conclusion (I): In Single Picture

Universal GC does not exist:  
either low latency, or high throughput  
(, or low memory footprint)



Choose this for your workload!

# Conclusion (I): In Single Paragraph

1. No GC could detect what tradeoffs you are after: you have to tell it yourself

# Conclusion (I): In Single Paragraph

1. No GC could detect what tradeoffs you are after: you have to tell it yourself
2. Stop-the-world GCs beat concurrent GCs in throughput and efficiency. **Parallel GC** is your choice!



## Conclusion (I): In Single Paragraph

1. No GC could detect what tradeoffs you are after: you have to tell it yourself
2. Stop-the-world GCs beat concurrent GCs in throughput and efficiency. **Parallel GC** is your choice!
3. Concurrent Mark trims down the pauses significantly. **G1** is ready for this, use it!

## Conclusion (I): In Single Paragraph

1. No GC could detect what tradeoffs you are after: you have to tell it yourself
2. Stop-the-world GCs beat concurrent GCs in throughput and efficiency. **Parallel GC** is your choice!
3. Concurrent Mark trims down the pauses significantly. **G1** is ready for this, use it!
4. Concurrent Copy/Compact needs to be addressed for even shallower pauses. This is where **Shenandoah** and **ZGC** come in!

# Conclusion (I): Releases

Easy to access (development) releases: try it now!

<https://wiki.openjdk.java.net/display/shenandoah/>

- Dev follows latest JDK, backports to 13, **11u, 8u**
- 8u backport ships in RHEL 7.4+, Fedora 24+
- 11u backport ships in Fedora 27+
- Nightly development builds (tarballs, Docker images)

```
docker run -it --rm shipilev/openjdk-shenandoah \  
java -XX:+UseShenandoahGC -Xlog:gc -version
```

# End of Part I

# Part II

# Pauses

# Pauses: When Everything Is Good

LRUFragger, 100 GB heap,  $\approx$  80 GB LDS:

Pause Init Mark 0.437ms

Concurrent marking 76780M->77260M(102400M) 700.185ms

Pause Final Mark 0.698ms

Concurrent cleanup 77288M->77296M(102400M) 0.176ms

Concurrent evacuation 77296M->85696M(102400M) 405.312ms

Pause Init Update Refs 0.038ms

Concurrent update references 85700M->85928M(102400M) 319.116ms

Pause Final Update Refs 0.351ms

Concurrent cleanup 85928M->56620M(102400M) 14.316ms

# Pauses: When Everything Is Good

LRUFragger, 100 GB heap,  $\approx$  80 GB LDS:

Pause Init Mark 0.437ms

Concurrent marking 76780M->77260M(102400M) 700.185ms

Pause Final Mark 0.698ms

Concurrent cleanup 77288M->77296M(102400M) 0.176ms

Concurrent evacuation 77296M->85696M(102400M) 405.312ms

Pause Init Update Refs 0.038ms

Concurrent update references 85700M->85928M(102400M) 319.116ms

Pause Final Update Refs 0.351ms

Concurrent cleanup 85928M->56620M(102400M) 14.316ms



# Pauses: When Something Is Not So Good

Worst-case cycle in one of the workloads:

Pause Init Mark 4.915ms

Concurrent marking 794M->794M(4096M) 95.853ms

Pause Final Mark 30.876ms

Concurrent cleanup 795M->795M(4096M) 0.170ms

Concurrent evacuation 795M->796M(4096M) 0.197ms


Pause Init Update Refs 0.029ms

Concurrent update references 796M->796M(4096M) 28.707ms


Pause Final Update Refs 2.764ms

Concurrent cleanup 796M->792M(4096M) 0.372ms


# Pauses: Pause Taxonomy




# Pauses: Pause Taxonomy



# Pauses: Pause Taxonomy



# Pauses: Pause Taxonomy



# Safepoint Prolog: Ideas


1. Make sure changing the VM state is **safe**
2. Enable **cooperative** thread suspension
3. Have the known state points: e.g. where are the **pointers**

```
push %rbx
LOOP:
  inc %rax
  test (%rip, 0x488313) # safepoint poll
                        # %rbx is ptr, (%rsp) is ptr


  cmp %rax, (%rbx, 8)
  jl  LOOP
```



# TTSP: Pause Taxonomy




# TTSP: Pause Taxonomy






# TTSP: Definition



TTSP: Time between VM Thread decision to make a safepoint, until all Java threads have reacted

# TTSP: Definition



Some threads are still happily executing after safepoint request, having not observed it yet

# TTSP: Long Loops

In tight loops, safepoint poll costs are very visible!  
**Solution:** eliminate safepoint polls in short cycles

```
LOOP:  
  inc %rax  
  cmp %rax, $100  
  jl  LOOP
```

# TTSP: Long Loops

In tight loops, safepoint poll costs are very visible!  
**Solution:** eliminate safepoint polls in short cycles

```
LOOP:  
  inc %rax  
  cmp %rax, $100  
  jl  LOOP
```

How short is short, though?

# TTSP: Long Loops

In tight loops, safepoint poll costs are very visible!

**Solution:** eliminate safepoint polls in short cycles

```
LOOP:
```

```
inc %rax
```

```
cmp %rax, $100
```

```
jl LOOP
```

How short is short, though?

**Hotspot's answer:** Counted loops are short!



# TTSP: Long Loops

```
int[] arr;
```

```
@Benchmark
```

```
public int test() throws InterruptedException {  
    int r = 0;  
    for (int i : arr)  
        r = (i * 1664525 + 1013904223 + r) % 1000;  
    return r;  
}
```

```
# java -XX:+UseShenandoahGC -Dsize=10'000'000
```

```
Performance: 35.832 +- 1.024 ms/op
```

```
Total Pauses (G) = 0.69 s (a = 26531 us)
```

```
Total Pauses (N) = 0.02 s (a = 734 us)
```



# TTSP: -XX:+UseCountedLoopSafepoints

The magic VM option to keep the safepoints in counted loops!  
...with quite some throughput overhead :(



```
# -XX:+UseShenandoahGC -XX:-UseCountedLoopSafepoints
```

```
Performance: 35.832 +- 1.024 ms/op
```

```
Total Pauses (G) = 0.69 s (a = 26531 us)
```

```
Total Pauses (N) = 0.02 s (a = 734 us)
```

```
# -XX:+UseShenandoahGC -XX:+UseCountedLoopSafepoints
```

```
Performance: 38.043 +- 0.866 ms/op
```

```
Total Pauses (G) = 0.02 s (a = 811 us)
```

```
Total Pauses (N) = 0.02 s (a = 670 us)
```

# TTSP: Loop Strip Mining

Make a smaller bounded loop without the safepoint polls inside the original one:

```
for (c : [0, L]) {  
    use(c);  
    <safepoint poll>  
}  
  
⇒  
  
for (c : [0, L] by M) {  
    for (k : [0: M]) {  
        use(c + k);  
    }  
    <safepoint poll>  
}
```

Amortize safepoint poll costs without sacrificing TTSP!



# TTSP: Loop Strip Mining

```
# -XX:+UseShenandoahGC -XX:-UseCLS  
Performance: 35.832 +- 1.024 ms/op  
Total Pauses (G) = 0.69 s (a = 26531 us)  
Total Pauses (N) = 0.02 s (a = 734 us)
```

# TTSP: Loop Strip Mining

```
# -XX:+UseShenandoahGC -XX:-UseCLS
```

```
Performance: 35.832 +- 1.024 ms/op
```

```
Total Pauses (G) = 0.69 s (a = 26531 us)
```

```
Total Pauses (N) = 0.02 s (a = 734 us)
```

```
# -XX:+UseShenandoahGC -XX:+UseCLS -XX:LSM=1
```

```
Performance: 38.043 +- 0.866 ms/op
```

```
Total Pauses (G) = 0.02 s (a = 811 us)
```

```
Total Pauses (N) = 0.02 s (a = 670 us)
```

# TTSP: Loop Strip Mining

```
# -XX:+UseShenandoahGC -XX:-UseCLS
```

Performance: 35.832 +- 1.024 ms/op

Total Pauses (G) = 0.69 s (a = 26531 us)

Total Pauses (N) = 0.02 s (a = 734 us)

```
# -XX:+UseShenandoahGC -XX:+UseCLS -XX:LSM=1
```

Performance: 38.043 +- 0.866 ms/op

Total Pauses (G) = 0.02 s (a = 811 us)


Total Pauses (N) = 0.02 s (a = 670 us)

```
# -XX:+UseShenandoahGC -XX:+UseCLS -XX:LSM=1000
```

Performance: 34.660 +- 0.657 ms/op

Total Pauses (G) = 0.03 s (a = 842 us)

Total Pauses (N) = 0.02 s (a = 682 us)



# TTSP: Runnable Threads

The suspension is cooperative:  
*every runnable* thread has to react to a safepoint request


- Non-runnable threads are already considered at safepoint: all those idle threads that are WAITING, TIMED\_WAITING, BLOCKED, etc are safe already
- Lots of runnable threads: each thread should get scheduled to roll to safepoint

# TTSP: Runnable Threads Test

```
for (int i : arr) {  
    r = (i * 1664525 + 1013904223 + r) % 1000;  
}
```

Each thread needs scheduling to roll to safepoint:

```
# java -XX:+UseShenandoahGC -Dthreads=16  
Total Pauses (G) = 0.30 s (a = 1529 us)  
Total Pauses (N) = 0.23 s (a = 1166 us)
```



# TTSP: Runnable Threads Test

```
for (int i : arr) {  
    r = (i * 1664525 + 1013904223 + r) % 1000;  
}
```

Each thread needs scheduling to roll to safepoint:

```
# java -XX:+UseShenandoahGC -Dthreads=16
```


```
Total Pauses (G) = 0.30 s (a = 1529 us)
```

```
Total Pauses (N) = 0.23 s (a = 1166 us)
```


```
# java -XX:+UseShenandoahGC -Dthreads=1024
```

```
Total Pauses (G) = 5.14 s (a = 36689 us)
```

```
Total Pauses (N) = 0.22 s (a = 1564 us)
```




# TTSP: Latency Tips



## 1. Safepoint monitoring is your friend

- Enable `-XX:+PrintSafepointStatistics` along with GC logs
- Use GC that tells you gross pause times that include safepoints

# TTSP: Latency Tips



## 1. Safepoint monitoring is your friend


- Enable `-XX:+PrintSafepointStatistics` along with GC logs
- Use GC that tells you gross pause times that include safepoints

## 2. Trim down the number of runnable threads

- Overwhelming the system is never good
- Use shared thread pools, and then share the thread pools



# TTSP: Latency Tips



## 1. Safepoint monitoring is your friend

- Enable `-XX:+PrintSafepointStatistics` along with GC logs
- Use GC that tells you gross pause times that include safepoints


## 2. Trim down the number of runnable threads

- Overwhelming the system is never good
- Use shared thread pools, and then share the thread pools


## 3. Watch TTSP due to code patterns, and then enable:

- `-XX:+UseCountedLoopSafepoints` for JDK 9-
- `-XX:LoopStripMiningIters=#` for JDK 10+

# GC Roots: Pause Taxonomy



# GC Roots: Pause Taxonomy



# GC Roots: What Are They, Dude

**Def:** «GC Root», slot with implicitly reachable object

**Def:** «Root set», the complete set of GC roots


«Implicitly reachable» = reachable without Java objects

- Popular: static fields, «thread stacks», «local variables»
- Less known: anything that holds Java refs in native code

# GC Roots: There Are Lots of Them

```
# jdk10/bin/java -XX:+UseShenandoahGC -Xlog:gc+stats
```

Pause Init Mark (G)	=	0.07 s	(a = 7011 us)
Pause Init Mark (N)	=	0.06 s	(a = 6052 us)
Scan Roots	=	0.06 s	(a = 5887 us)
S: Thread Roots	=	0.01 s	(a = 1031 us)
S: String Table Roots	=	0.02 s	(a = 1647 us)
S: Universe Roots	=	0.00 s	(a = 2 us)
S: JNI Roots	=	0.00 s	(a = 8 us)
S: JNI Weak Roots	=	0.00 s	(a = 275 us)
S: Synchronizer Roots	=	0.00 s	(a = 4 us)
S: Management Roots	=	0.00 s	(a = 2 us)
S: System Dict Roots	=	0.00 s	(a = 329 us)
S: CLDG Roots	=	0.02 s	(a = 1583 us)
S: JVMTI Roots	=	0.00 s	(a = 1 us)



# Thread Roots: Why

```
void k() {  
    Object o1 = get();  
    m();  
    workWith(o1);  
}
```

```
void m() {  
    Object o2 = get();  
    // <gc safepoint here>  
    workWith(o2);  
}
```

Once we hit the safepoint, we have to figure that both o1 and o2 are reachable

Need to scan all activation records up the stack looking for references

# Thread Roots: Trick 1, Local Var Reachability<sup>4</sup>

```
void m() {  
    Object o2 = get();  
    // <gc safepoint here>  
    doSomething();  
}
```

Trick: computing the oop maps does account the variable liveness!

Here, o2 would not be exposed at safepoint, making the object reclaimable

---

<sup>4</sup><https://shipilev.net/jvm/anatomy-quarks/8-local-var-reachability/>

# Thread Roots: Trick 2, Saving Grace

```
"thread-100500" #100500 daemon prio=5 os_prio=0 tid=0x13371337
nid=0x11902 waiting on condition TIMED_WAITING
at sun.misc.Unsafe.park(Native Method)
- parking to wait for <0x0000000081e39398>
at java.util.concurrent.locks.LockSupport.parkNanos
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObj
at java.util.concurrent.LinkedBlockingQueue.poll
at java.util.concurrent.ThreadPoolExecutor.getTask
at java.util.concurrent.ThreadPoolExecutor.runWorker
at java.util.concurrent.ThreadPoolExecutor$Worker.run
at java.lang.Thread.run
```

Most threads are stopped at shallow stacks



# Thread Roots: GC Handling


GC threads scan Java threads in parallel:  
 $N$  GC threads scan  $K$  Java threads

Thread Roots Count  $\approx$   
 $\approx$  Average Stack Depth  $\times$  Java Thread Count

## Corollaries:


- Java Thread Count  $\leq$  Count(CPU) – excellent
- Small Average Stack Depth – excellent

# Thread Roots: Latency Tips




1. Make sure only a few threads are active
  - Ideally,  $N_{CPU}$  threads, sharing the app load
  - Natural with thread-pools: most threads are parked at shallow stack depths

# Thread Roots: Latency Tips




1. Make sure only a few threads are active
  - Ideally,  $N_{CPU}$  threads, sharing the app load
  - Natural with thread-pools: most threads are parked at shallow stack depths
2. Trim down the thread stack depths
  - Calling into thousands of methods exposes lots of locals
  - Tune up inlining: less frames to scan

# Thread Roots: Latency Tips




1. Make sure only a few threads are active
  - Ideally,  $N_{CPU}$  threads, sharing the app load
  - Natural with thread-pools: most threads are parked at shallow stack depths
2. Trim down the thread stack depths
  - Calling into thousands of methods exposes lots of locals
  - Tune up inlining: less frames to scan
3. Wait for and exploit runtime improvements
  - Grey thread roots and concurrent root scans?
  - Per-thread scans with handshakes?

# Sync Roots: Why




Progressively heavier lock metadata:  
unlocked

# Sync Roots: Why




Progressively heavier lock metadata:  
unlocked, biased

# Sync Roots: Why



Progressively heavier lock metadata:  
unlocked, biased, thin locks


# Sync Roots: Why



Ultimately, `ObjectMonitor` that associates object with its fat native synchronizer, in both directions



# Sync Roots: Why



Ultimately, `ObjectMonitor` that associates object with its fat native synchronizer, **in both directions**

# Sync Roots: Syncie-Syncie Test

```
@Benchmark
public void test() throws InterruptedException {
    for (SyncPair pair : pairs) {
        pair.move();
    }
}

static class SyncPair {
    int x, y;
    public synchronized void move() {
        x++; y--;
    }
}
```


# Sync Roots: Depletion Test

```
static class SyncPair {
    int x, y;
    public synchronized void move() {
        x++; y--;
    }
}
```

*# java -XX:+UseShenandoahGC -Dcount=1'000'000*


Pause Init Mark (N)	=	0.00 s	(a = 2446 us)
Scan Roots	=	0.00 s	(a = 2223 us)
S: Synchronizer Roots	=	0.00 s	(a = 896 us)

# Sync Roots: Latency Tips




1. Avoid **contended** locking on **lots** of synchronized-S
  - Most applications do seldom contention on few monitors
  - Replace with `j.u.c.Lock`, `Atomics`, `VarHandle`, etc. otherwise

# Sync Roots: Latency Tips



1. Avoid **contended** locking on **lots** of synchronized-S
  - Most applications do seldom contention on few monitors
  - Replace with `j.u.c.Lock`, `Atomic`, `VarHandle`, etc. otherwise
2. Have more frequent safepoints
  - Counter-intuitive, but may keep inflated monitors count at bay
  - (More on that later)


# Sync Roots: Latency Tips



1. Avoid **contended** locking on **lots** of synchronized-S
  - Most applications do seldom contention on few monitors
  - Replace with `j.u.c.Lock`, `Atomics`, `VarHandle`, etc. otherwise
2. Have more frequent safepoints
  - Counter-intuitive, but may keep inflated monitors count at bay
  - (More on that later)
3. Exploit runtime improvements
  - `-XX:+MonitorInUseLists`, enabled by default since JDK 9
  - Piggybacking on thread scans (Shenandoah)

# Class Roots: Why


C++: ClassLoaderData



Static fields are stored in class mirrors outside the objects

# Class Roots: Why

C++: ClassLoaderData




Even without instances, we need to visit static fields




# Class Roots: Enterprise Hello World Test

```
@Setup
public void setup() throws Exception {
    classes = new Class[count];
    for (int c = 0; c < count; c++) {
        classes[c] = ClassGenerator.generate();
    }
}
```

```
# java -XX:+UseShenandoahGC -Dcount=100'000
Pause Init Mark (G) = 0.17 s (a = 6068 us)
Pause Init Mark (N) = 0.15 s (a = 5484 us)
  Scan Roots          = 0.15 s (a = 5233 us)
    S: CLDG Roots     = 0.01 s (a = 432 us)
```




# Class Roots: Latency Tips



## 1. Avoid too many classes

- Merge related classes together, especially autogenerated
- If not avoidable, make sure classes are unloaded

# Class Roots: Latency Tips




## 1. Avoid too many classes

- Merge related classes together, especially autogenerated
- If not avoidable, make sure classes are unloaded

## 2. Avoid too many classloaders

- Roots are walked by CLData, more CLs, more CLData to walk
- If not avoidable, make sure CLs are garbage-collected

# Class Roots: Latency Tips



## 1. Avoid too many classes

- Merge related classes together, especially autogenerated
- If not avoidable, make sure classes are unloaded

## 2. Avoid too many classloaders

- Roots are walked by CLData, more CLs, more CLData to walk
- If not avoidable, make sure CLs are garbage-collected

## 3. Exploit runtime improvements

- Shenandoah: parallel classloader data scans
- JDK 9+: less and less oops in native structures
- JDK 12+: concurrent class scans

# String Table Roots: Why

StringTable is native, and references String objects

```
class String {
    ...
    public native String intern();
    ...
}

class StringTable : public RehashableHashtable<oop, mtSymbol> {
    ...
    static oop intern(Handle h, jchar* chars, int length, ...);
    ...
}
```

# String Table Roots: Intern Test


```
@Setup
public void setup() {
    for (int c = 0; c < size; c++)
        list.add(("" + c + "root").intern());
}
```

```
@Benchmark
public Object test() { return new Object(); }
```

```
# jdk10/bin/java -XX:+UseShenandoahGC -Dsize=1'000'000
```

Pause Init Mark (G)	=	0.30 s	(a = 10698 us)
Pause Init Mark (N)	=	0.29 s	(a = 10315 us)
Scan Roots	=	0.28 s	(a = 10046 us)
S: String Table Roots	=	0.25 s	(a = 8991 us)

# String Table Roots: Latency Tips



1. Do not use `String.intern()`
  - It is almost never worth it
  - Roll on your own deduplicator/interner


# String Table Roots: Latency Tips



1. Do not use `String.intern()`
  - It is almost never worth it
  - Roll on your own deduplicator/interner
2. Watch out for `StringTable` rehashing and cleanups
  - `-XX:StringTableSize=#` is your friend here
  - Surprise: `-XX:-ClassUnloading` disables `StringTable` cleanup
  - Surprise: `StringTable` would need to rehash under STW




# String Table Roots: Latency Tips




1. Do not use `String.intern()`
  - It is almost never worth it
  - Roll on your own deduplicator/interner
2. Watch out for `StringTable` rehashing and cleanups
  - `-XX:StringTableSize=#` is your friend here
  - Surprise: `-XX:-ClassUnloading` disables `StringTable` cleanup
  - Surprise: `StringTable` would need to rehash under STW
3. Wait for more runtime improvements
  - JDK 11+: concurrent `StringTable`
  - JDK 11+: resizable `StringTable`
  - JDK 11+: concurrent `StringTable` scan

# Weak References: Pause Taxonomy



# Weak References: Pause Taxonomy




# Weak References: What, How, When

The single most GC-sensitive language feature:  
soft/weak/phantom references and finalizers

- Weak references have loose relation with the liveness of the target object (*referent*), can detect liveness changes
- Contrast: Strong references imply referent is always alive
- Finalizable objects are yet another synthetic weak reachability level: modeled with `j.l.ref.Finalizer`


# Weak References: How Do They Work?



Suppose we have the object graph where some objects are not strongly reachable

<sup>4</sup>e.g. treating `Reference`.`referent` as normal field


# Weak References: How Do They Work?



Scanning **through**<sup>5</sup> the weak references yields strongly reachable heap: normal GC cycle

<sup>5</sup>e.g. treating `Reference.referent` as normal field


# Weak References: How Do They Work?



Back to square one:  
start from unmarked  
heap...

<sup>4</sup>e.g. treating `Reference.referent` as normal field

# Weak References: How Do They Work?




But then, do **not** mark through the weak refs, but **discover** and record them separately

<sup>4</sup>e.g. treating `Reference.referent` as normal field




# Weak References: How Do They Work?



Now, we can iterate over soft-refs, and treat all non-marked referents as softly reachable...

<sup>4</sup>e.g. treating `Reference`.`referent` as normal field


# Weak References: How Do They Work?



Rinse and repeat for other subtypes, in order, and after a few iterations we have all weak refs processed

<sup>4</sup>e.g. treating `Reference.referent` as normal field


# Weak References: How Do They Work?



Rinse and repeat for other subtypes, in order, and after a few iterations we have all weak refs processed


<sup>4</sup>e.g. treating `Reference.referent` as normal field

# Weak References: Reachability Tricks




There are four cases: the reference itself can be (un)reachable, and the referent can be (un)reachable

# Weak References: Reachability Tricks




SR-1 and SR-4 are unreachable.  
Discovery would never visit them, stop

# Weak References: Reachability Tricks




**Trick** «Precogning»: SR-2 is reachable, and its referent is reachable. No need to handle, remove from discovered list

# Weak References: Reachability Tricks



SR-3 is reachable, but referent is not.  
We may clear the referent, and abandon the subgraph


# Weak References: Reachability Tricks



**Trick** «Soft»: SR-3 is reachable, but referent is not. We decide to keep referent alive. Can mark through in concurrent mark!



# Weak References: Reachability Tricks



SR-3 is reachable, but referent is not. We figure it at pause, decide to keep referent alive: **marking at pause!**

# Weak References: Recap, Phases

- Unreachable references: excellent

Reference	Referent	Discovery (concurrent)	Process (STW)	Enqueue (STW)
Dead	Alive	no	no	no
Dead	Dead	no	no	no

# Weak References: Recap, Phases

- Unreachable references: excellent
- Reachable referents: good, little overhead

Reference	Referent	Discovery (concurrent)	Process (STW)	Enqueue (STW)
Dead	Alive	no	no	no
Dead	Dead	no	no	no
Alive	Alive	yes	maybe	no

# Weak References: Recap, Phases

- Unreachable references: excellent
- Reachable referents: good, little overhead
- Unreachable referents: bad, lots of work during STW

Reference	Referent	Discovery (concurrent)	Process (STW)	Enqueue (STW)
Dead	Alive	no	no	no
Dead	Dead	no	no	no
Alive	Alive	yes	maybe	no
Alive	Dead	yes	YES	YES

# Weak References: Recap, Keep Alive

When referent is unreachable, should we make it alive again?

Type	Keep Alive		Comment
	JDK 8-	JDK 9+	
Soft	no	no	Cleared on enqueue
Weak	no	no	Cleared on enqueue

# Weak References: Recap, Keep Alive

When referent is unreachable, should we make it alive again?

- Finalizable objects require resurrection!

Type	Keep Alive		Comment
	JDK 8-	JDK 9+	
Soft	no	no	Cleared on enqueue
Weak	no	no	Cleared on enqueue
Final	YES	YES	← OMG HE COMES CENTER CANNOT HOLD

# Weak References: Recap, Keep Alive


When referent is unreachable, should we make it alive again?

- Finalizable objects require resurrection!
- Phantom references may have to walk the object graph!

Type	Keep	Alive	Comment
	JDK 8-	JDK 9+	
Soft	no	no	Cleared on enqueue
Weak	no	no	Cleared on enqueue
Final	YES	YES	← OMG HE COMES CENTER CANNOT HOLD
Phantom	yes	no	Cleared on enqueue since JDK 9

# Weak References: Churn Test

```
@Benchmark
public void churn(Blackhole bh) {
    bh.consume(new Finalizable());
    bh.consume(new byte[10000]);
}
```



```
# jdk10/bin/java -XX:+UseShenandoahGC -Xlog:gc+stats
Pause Final Mark (G) = 14.90 s (a = 338708 us)
Pause Final Mark (N) = 14.90 s (a = 338596 us)
  Finish Queues      = 8.36 s (a = 189976 us)
  Weak References    = 6.50 s (a = 147657 us)
    Process          = 6.04 s (a = 137335 us)
    Enqueue          = 0.45 s (a = 10312 us)
```



# Weak References: Retain Test

@Benchmark

```
public Object test() {  
    if (rq.poll() != null) {  
        ref = new PhantomReference<>(createTreeMap(), rq);  
    }  
    return new byte[1000];  
}
```

```
# jdk8/bin/java -XX:+UseShenandoahGC -verbose:gc
```

```
Pause Final Mark (G) = 0.44 s (a = 12133 us)
```


```
Pause Final Mark (N) = 0.39 s (a = 10777 us)
```

```
Finish Queues = 0.08 s (a = 2123 us)
```


```
Weak References = 0.29 s (a = 41841 us)
```

```
Process = 0.29 s (a = 41757 us)
```

```
Enqueue = 0.00 s (a = 78 us)
```




# Weak References: Latency Tips



## 1. Avoid reference churn!

- Make sure referents normally stay reachable
- Do more explicit lifecycle mgmt if they get unreachable often
- Avoid finalizable objects! Use `java.lang.ref.Cleaner!`

# Weak References: Latency Tips




## 1. Avoid reference churn!

- Make sure referents normally stay reachable
- Do more explicit lifecycle mgmt if they get unreachable often
- Avoid finalizable objects! Use `java.lang.ref.Cleaner`!

## 2. Keep graphs reachable via special references small

- Depending on JDK, phantom references need care: use `clear()`
- Or, make sure references die along with referents

# Weak References: Latency Tips



## 1. Avoid reference churn!

- Make sure referents normally stay reachable
- Do more explicit lifecycle mgmt if they get unreachable often
- Avoid finalizable objects! Use `java.lang.ref.Cleaner`!


## 2. Keep graphs reachable via special references small

- Depending on JDK, phantom references need care: use `clear()`
- Or, make sure references die along with referents


## 3. Tune down the weakref processing frequency

- Look for GC-specific setup  
(Shenandoah example: `-XX:ShenandoahRefProcFrequency=#`)

# Class Unload: Pause Taxonomy



# Class Unload: Pause Taxonomy



# Class Unload: Why, When, How

«A class or interface may be unloaded if and only if its defining class loader may be reclaimed by the GC»<sup>5</sup>


- Matters the most when classloaders come and go: enterprisey apps and other twisted magic
- Class unloading is enabled by default in Hotspot (-XX:+ClassUnloading)
- Before JDK 12, all implementations required STW

---

<sup>5</sup><https://docs.oracle.com/javase/specs/jls/se9/html/jls-12.html#jls-12.7>

# Class Unload: Test


```
@Benchmark
public Class<?> load() throws Exception {
    return Class.forName("java.util.HashMap",
        true, new URLClassLoader(new URL[0]));
}
```



```
# jdk10/bin/java -XX:+UseShenandoahGC -Xlog:gc+stats
Pause Final Mark (G) = 0.66 s (a = 328942 us)
Pause Final Mark (N) = 0.66 s (a = 328860 us)
System Purge          = 0.66 s (a = 328668 us)
  Unload Classes      = 0.09 s (a = 43444 us)
  CLDG                = 0.57 s (a = 284217 us)
```




# Class Unload: Latency Tips




1. Do not expect class unload? → Disable the feature
  - `-XX:-ClassUnloading` is the ultimate killswitch
  - ...but may have ill performance effects when classes to go away

# Class Unload: Latency Tips




1. Do not expect class unload? → Disable the feature
  - `-XX:-ClassUnloading` is the ultimate killswitch
  - ...but may have ill performance effects when classes to go away
2. Expect rare class unload? → Tune down the frequency
  - Look for GC-specific class unloading frequency setup  
(Shenandoah example: `-XX:ShenandoahUnloadClassesFreq=#`)

# Class Unload: Latency Tips




1. Do not expect class unload? → Disable the feature
  - `-XX:-ClassUnloading` is the ultimate killswitch
  - ...but may have ill performance effects when classes to go away
2. Expect rare class unload? → Tune down the frequency
  - Look for GC-specific class unloading frequency setup  
(Shenandoah example: `-XX:ShenandoahUnloadClassesFreq=#`)
3. Exploit runtime improvements
  - JDK 12+: concurrent class unloading
  - Shenandoah: parallel class metadata scans

# Safepoint Epilog: Pause Taxonomy



# Safepoint Epilog: Pause Taxonomy



# Safepoint Epilog: What, When, Why


There are actions that execute at each safepoint  
(because why not, if we are at STWs)

```
# jdk8/bin/java -XX:+TraceSafepointCleanupTime  
[deflating idle monitors, 0.0013491 secs]  
[updating inline caches, 0.0000395 secs]  
[compilation policy safepoint handler, 0.0000004 secs]  
[mark nmethods, 0.0005378 secs]  
[rotating gc logs, 0.0002754 secs]2  
[purging class loader data graph, 0.0000002 secs]
```

---

<sup>5</sup>Specific for 8, fixed in 9; logging added to 8 recently with JDK-8231398

# Monitor Deflation: Why



Missed me? Missed me? Missed me? Missed me?  
Somebody needs to «deflate» the monitors...

# Monitor Deflation: Deflation Test

```
static class SyncPair {  
    int x, y;  
    public synchronized void move() {  
        x++; y--;  
    }  
}
```


```
# java -XX:+TraceSafepointCleanup -Dcount=1'000'000  
[deflating idle monitors, 0.0877930 secs]  
...
```

Pause Init Mark (G) = 0.09 s (a = 92052 us)

Pause Init Mark (N) = 0.00 s (a = 3982 us)



# Monitor Deflation: Latency Tips<sup>6</sup>




## 1. Avoid heavily contended synchronized locks

- `j.u.c.l.Lock`: footprint overheads
- Atomic operations: performance and complexity overhead

---

<sup>6</sup>All these are for extreme cases, and need verification that nothing else gets affected

# Monitor Deflation: Latency Tips<sup>6</sup>




1. Avoid heavily contended synchronized locks
  - `j.u.c.l.Lock`: footprint overheads
  - Atomic operations: performance and complexity overhead
2. Have more safepoints!
  - Keeps monitor population low by eagerly cleaning them up
  - `-XX:GuaranteedSafepointInterval=#` is your friend here

---

<sup>6</sup>All these are for extreme cases, and need verification that nothing else gets affected

# Monitor Deflation: Latency Tips<sup>6</sup>



1. Avoid heavily contended synchronized locks
  - `j.u.c.l.Lock`: footprint overheads
  - Atomic operations: performance and complexity overhead
2. Have more safepoints!
  - Keeps monitor population low by eagerly cleaning them up
  - `-XX:GuaranteedSafepointInterval=#` is your friend here
3. Exploit runtime improvements
  - `-XX:+MonitorInUseLists`, enabled by default since JDK 9
  - `-XX:MonitorUsedDeflationThreshold=#`, incremental deflation
  - In progress: concurrent monitor deflation

---

<sup>6</sup>All these are for extreme cases, and need verification that nothing else gets affected

# NMethod Scanning: Why

JIT compilers generate lots of code,  
some of that code is unused after a while:

```
9680    2    o.a.c.c.StandardContext::unbind
10437   3    o.a.c.c.StandardContext::unbind
9680    2    o.a.c.c.StandardContext::unbind    made not entrant
11385   4    o.a.c.c.StandardContext::unbind
10437   3    o.a.c.c.StandardContext::unbind    made not entrant
9680    2    o.a.c.c.StandardContext::unbind    made zombie
10437   3    o.a.c.c.StandardContext::unbind    made zombie
11385   4    o.a.c.c.StandardContext::unbind    made not entrant
```

Need to clean up stale versions of the code

# NMethod Scanning: Caveat

To sweep the generated method,  
we need to make sure nothing uses it

1. Decide the method needs sweep
2. Mark method «not entrant»: forbid new activations
3. Check no activations are present on stacks
4. Mark the nmethod «zombie»: ready for sweep
5. Sweep the method


# NMethod Scanning: Caveat

To sweep the generated method,  
we need to make sure nothing uses it

1. Decide the method needs sweep
2. Mark method «not entrant»: forbid new activations
3. **Check no activations are present on stacks**
4. Mark the nmethod «zombie»: ready for sweep
5. Sweep the method

```
# jdk8/bin/java -XX:+TraceSafepointCleanupTime  
[mark nmethods, 0.0005378 secs]
```

# NMethod Scanning: Latency Tips<sup>7</sup>




## 1. Turn off method flushing

- `-XX:-MethodFlushing` is your friend here
- There are potential ill effects: code cache overfill (compilation stops), code cache locality problems (performance problems)

---

<sup>7</sup>All these are for extreme cases, and need verification that nothing else gets affected

# NMethod Scanning: Latency Tips<sup>7</sup>



## 1. Turn off method flushing

- `-XX:-MethodFlushing` is your friend here
- There are potential ill effects: code cache overfill (compilation stops), code cache locality problems (performance problems)

## 2. Reconsider the control flow to avoid deep stacks


- Less stack frames to scan, gets easier on sweeper

---

<sup>7</sup>All these are for extreme cases, and need verification that nothing else gets affected



# NMethod Scanning: Latency Tips<sup>7</sup>



## 1. Turn off method flushing

- `-XX:-MethodFlushing` is your friend here
- There are potential ill effects: code cache overflow (compilation stops), code cache locality problems (performance problems)

## 2. Reconsider the control flow to avoid deep stacks

- Less stack frames to scan, gets easier on sweeper

## 3. Exploit runtime improvements

- JDK 10+ provides piggybacking nmethod scans on GC safepoints
- Shenandoah: enables nmethod scans piggybacking

---

<sup>7</sup>All these are for extreme cases, and need verification that nothing else gets affected

# Code Roots: Why

```
static final MyIntHolder constant = new MyIntHolder();  
  
@Benchmark  
public int test() {  
    return constant.x;  
}
```

Inlining reference constants into generated code  
is natural for throughput performance:

```
movabs $0x7111b5108,%r10    # Constant oop  
mov     0xc(%r10),%edx      # getfield x  
...  
callq  0x00007f73735dff80  # Blackhole.consume(int)
```



# Code Roots: Fixups

```
movabs $0x7111b5108,%r10 # Constant oop
mov    0xc(%r10),%edx    # getfield x
...
callq  0x00007f73735dff80 # Blackhole.consume(int)
```

- Inlined references require code patching: only safe to do when nothing executes the code block  $\Rightarrow$  pragmatically, under STW


# Code Roots: Fixups

```
movabs $0x7111b5108,%r10 # Constant oop
mov    0xc(%r10),%edx    # getfield x
...
callq  0x00007f73735dff80 # Blackhole.consume(int)
```

- Inlined references require code patching: only safe to do when nothing executes the code block  $\Rightarrow$  pragmatically, under STW
- Also need to *pre-evacuate* the code roots before anyone sees old object reference!

# Code Roots: Pre-Evacuation


Need to pre-evacuate code roots before unparking from STW:



```
# jdk10/bin/java -XX:+UseShenandoahGC -Xlog:gc+stats  
Pause Final Mark (G)      = 0.13 s (a = 2768 us)  
Pause Final Mark (N)      = 0.10 s (a = 2623 us)  
Initial Evacuation        = 0.08 s (a = 2515 us)  
E: Code Cache Roots      = 0.04 s (a = 1227 us)
```


Alternative: barriers after constants, with throughput hit

# Code Roots: Latency Tips




1. Have less compiled code around
  - Disable tiered compilation
  - More aggressive code cache sweeping

# Code Roots: Latency Tips



1. Have less compiled code around
  - Disable tiered compilation
  - More aggressive code cache sweeping
2. Tell runtime to treat code roots for latency
  - GC-specific tuning enabling concurrent code cache evacuation
  - (diagnostic, unstable) `-XX:ScavengeRootsInCode=0` to remove oops from code

# Code Roots: Latency Tips



1. Have less compiled code around
  - Disable tiered compilation
  - More aggressive code cache sweeping
2. Tell runtime to treat code roots for latency
  - GC-specific tuning enabling concurrent code cache evacuation
  - (diagnostic, unstable) `-XX:ScavengeRootsInCode=0` to remove oops from code
3. Exploit runtime improvements
  - Shenandoah (JDK 8+), G1 (JDK 9+): code cache roots tracking



## **Conclusion (II)**

# Conclusion (II): Ultra-Low Latency Addendum

**Pre-requisite:** get a decent concurrent GC.



# Conclusion (II): Ultra-Low Latency Addendum



**Pre-requisite:** get a decent concurrent GC. After that:

1. OpenJDK is able to provide ultra-low ( $< 1$  ms) pauses in non-extreme cases, and low pauses ( $< 100$  ms) in extreme cases

# Conclusion (II): Ultra-Low Latency Addendum



**Pre-requisite:** get a decent concurrent GC. After that:

1. OpenJDK is able to provide ultra-low ( $< 1$  ms) pauses in non-extreme cases, and low pauses ( $< 100$  ms) in extreme cases
2. OpenJDK is able to provide ultra-low pauses in extreme cases with some runtime improvements. Some of them are already available, **upgrade!**

# Conclusion (II): Ultra-Low Latency Addendum



**Pre-requisite:** get a decent concurrent GC. After that:

1. OpenJDK is able to provide ultra-low ( $< 1$  ms) pauses in non-extreme cases, and low pauses ( $< 100$  ms) in extreme cases
2. OpenJDK is able to provide ultra-low pauses in extreme cases with some runtime improvements. Some of them are already available, **upgrade!**
3. One can avoid extreme case pitfalls with careful and/or specialized code, until runtimes catch up

## Conclusion (II): Releases

Easy to access (development) releases: try it now!

<https://wiki.openjdk.java.net/display/shenandoah/>

- Dev follows latest JDK, backports to 13, **11u, 8u**
- 8u backport ships in RHEL 7.4+, Fedora 24+
- 11u backport ships in Fedora 27+
- Nightly development builds (tarballs, Docker images)

```
docker run -it --rm shipilev/openjdk-shenandoah \  
java -XX:+UseShenandoahGC -Xlog:gc -version
```